



Controlling priority invasive non-native riparian plants and restoring native biodiversity (CIRB)

This project is part financed by the European Union's INTERREG IVA programme.

Opportunity to tender for the control of invasive non-native riparian plants at various locations in Ayrshire during 2013.

Tender Document (15).

Control of Japanese Knotweed: The River Doon Catchment.

Control Method: Stem Injection of herbicide (Roundup Pro Biactive 450g/l) in accordance with the Code of Practice for using Plant Protection Products in Scotland.

This tender document is supported by **Document 1 'Guidance for contractors,'** and must be read in conjunction with said document.

Questions relating to any part of this document should be directed to ART's project management staff by email info@ayrshirerivertrust.org

Questions and answers submitted will be documented and circulated to all contractors expressing an interest in the tendering process. No questions will be answered on a 'one to one' basis (e.g. face to face or by telephone). In order to ensure fairness and transparency, and to comply with UK and EU Procurement legislation, ART will circulate the responses to all questions asked by any of the applicants.

1. Location of target control areas

The control area includes both banks of the River Doon extending from the Road bridge at Keirs Farm at Grid Ref (NS243418, 608802) downstream to the Estuary at Grid Ref (NS232383, 619522).

The area of control will include riparian margins, extending to riverbank, bank tops, riparian woodland, footpaths and agricultural land where applicable. ART will provide grid references for each stand of Japanese Knotweed once our survey has been completed in July 2013. Additional information such as parking and access details will also be supplied. Much of this area has already been injected in 2012 in the second year of treatment in the CIRB

project. As yet results are unknown. ART will survey the river in July 2013 compile up to date data and make this available to the successful contractor in advance of the works commencing.

2. Timing of works to be undertaken

ART estimate that **14 man days** should be allocated to the control of Japanese Knotweed on the River Doon catchment (as detailed in section1) during 2013. Control should be completed between mid August and the end of September 2013.

3. Tender Procedures.

In accordance with INTERREG IVA procurement requirements, ART will accept tender submissions from suitably qualified contractors. Contractors are requested to supply quotations for the chemical control of INNS in the riparian zones of the control areas using Roundup Pro Biactive in accordance with the manufacturers' guidelines and the Code of Practice for using Plant Protection Products in Scotland (CPPPS). An understanding of invasive non native species and their control is essential and contractors should demonstrate their knowledge at the time of tender submissions by whatever method they see fit.

Collusion between contractors is not permissible and would exclude them from this and any future opportunity to tender for this project.

Only tenders that satisfy the pre-selection criteria will progress to scoring all as detailed in supporting document 1. '*Guidance for Contractors*'.

Contractors may complete as many or few tender documents as they wish and a separate proposal must be submitted for each individual tender that that the contractor wishes to apply for. The successful candidate for each tender will be determined using the pre-determined scoring criteria detailed in supporting document 1. '*Guidance for Contractors*'.

For ease of interpretation, tenders should be submitted in the following format with each section clearly identified and all required supporting evidence included:

1. Introduction
2. Pre-selection criteria
3. Understanding of the requirements
4. Specification
5. Proposed methodology
6. Aftercare provision
7. Cost, expressed as a day rate per person inclusive of VAT (where applicable)

All tenders submitted will be retained by ART in accordance with INTERREG IVA requirements.

4. Image files for the target control areas on the upper River Doon catchment will be provided prior to any works commencing

